



Technical Data Sheet (TDS)

Issued by:

NYS Inc.

4-3-12-508 Tsukiji, Chuo-ku, Tokyo 104-0045, Japan

TEL: +81-70-9002-4439

Email: info@nys-chemicals.jp

OEM LEATHER PRESERVATIVE

Product Lineup

- OEM Leather Preservative 50ml
- OEM Leather Preservative 4L
- OEM Leather Preservative 18L
- OEM Leather Preservative 20L

1. Product Concept

A specially formulated leather preservative designed to moisturize, protect, and maintain the natural appearance of genuine leather.

It penetrates deeply into the leather to prevent deterioration caused by dryness, friction, and temperature changes, ensuring long-lasting flexibility and a natural, refined finish.

2. Composition & Key Features

- Type: Leather moisturizing and protective agent



- Form: Liquid
- Recommended Usage Amount: Approx. 4 ml per vehicle
- Applicable Materials: Genuine leather
- Finish: Natural sheen, smooth texture

Key Features

- Penetrates deeply to prevent dryness and cracking
- Maintains proper friction without becoming slippery
- Repels dirt and helps maintain cleanliness
- Suitable for automotive leather, furniture, bags, shoes, and more

3. Performance & Characteristics

Gloss

Provides a natural, refined sheen without excessive shine.

Workability

Simple sponge application followed by light wiping ensures uniform results.

Compatibility

Optimized specifically for genuine leather materials.

Safety

Non-wax formulation minimizes slipperiness and surface residue.

Cost Efficiency

Low usage per application makes it suitable for regular maintenance.

Non-Applicable Contaminants

Not suitable for synthetic leather, fabric, or plastic materials.

4. Recommended Application Areas



- Automotive leather seats
- Leather furniture (sofas, chairs)
- Leather bags and wallets
- Leather shoes and belts

5. Application Method

1. Remove any dirt or contamination beforehand.
2. Apply an appropriate amount to a sponge.
3. Gently spread and massage onto the surface without applying excessive pressure.
4. Wipe lightly with a dry cloth to finish.

6. Precautions During Application

- For genuine leather only; do not use on synthetic leather or plastics.
- Do not apply to areas related to driving operations (accelerator, brake pedal, etc.).
- Excessive application may cause temporary slipperiness.

7. Summary of Product Properties

- Leather moisturizing and protective agent
- Recommended usage: Approx. 4 ml per vehicle
- Core functions: Leather moisturizing and deterioration prevention
- Application method: Manual application
- Applicable material: Genuine leather
- Country of Origin: Japan

8. Remarks



- If residue remains on the surface, wipe with a damp cloth to adjust.
- Effect may vary depending on leather condition.
- For synthetic leather, use a dedicated interior wax.
- Store in a cool and dry place.

Issued by:

NYS Inc.

4-3-12-508 Tsukiji, Chuo-ku, Tokyo 104-0045, Japan

TEL: +81-70-9002-4439

Email: info@nys-chemicals.jp

The information contained in this Technical Data Sheet is based on current technical knowledge at the time of publication.

Specifications and details are subject to change without prior notice.