



Technical Data Sheet (TDS)

Issued by:

NYS Inc.

4-3-12-508 Tsukiji, Chuo-ku, Tokyo 104-0045, Japan

TEL: +81-70-9002-4439

Email: info@nys-chemicals.jp

OEM LEATHER CLEANER

Product Lineup

- OEM Leather Cleaner 150ml
- OEM Leather Cleaner 4L
- OEM Leather Cleaner 18L
- OEM Leather Cleaner 20L

1. Product Concept

This product is a neutral pH cleaner designed specifically for leather materials.

It loosens and lifts embedded contaminants without damaging delicate leather surfaces.

When used together with the Dirt Removal Sponge, it effectively extracts dirt lodged deep within the leather texture, restoring a clean and natural appearance while preserving softness.

2. Composition & Key Features

- Type: Neutral leather cleaner



- pH: Neutral
- Form: Liquid
- Recommended Usage Amount: Approx. 60 ml per vehicle
- Applicable Materials: Genuine leather, synthetic leather
- Finish: Clean, natural matte finish

Key Features

- High cleaning efficiency when paired with the Dirt Removal Sponge
- Neutral formula prevents discoloration and yellowing of leather
- Penetrates and lifts contaminants from leather's micro-texture
- Excellent compatibility with leather conditioners and protective treatments

3. Performance & Characteristics

Cleaning Performance

Effectively removes contaminants accumulated in fine pores and wrinkles unique to leather surfaces.

Compatibility

Suitable for both genuine leather and synthetic leather while maintaining softness and texture.

Safety

Neutral formulation minimizes the risk of yellowing and damage commonly associated with alkaline cleaners.

Ease of Operation

Simple hand application using a sponge and wipe-off process.

Cost Efficiency

Low usage amount per vehicle makes it suitable for professional operations.

Non-Applicable Contaminants

Discoloration caused by leather deterioration or dye transfer may not be fully removable.



4. Recommended Application Areas

- Automotive leather seats
- Leather steering wheels and shift knobs
- Leather door panels
- Synthetic leather areas compatible with leather-safe cleaners

5. Application Method

1. Fully wet the Dirt Removal Sponge with water and wring lightly.
2. Apply 3–5 pumps of the cleaner onto the sponge and allow it to absorb.
3. Gently wipe the leather surface to loosen and lift contaminants.
4. Once dirt appears on the surface, promptly wipe with a clean damp cloth and allow to dry.

6. Precautions During Application

- For leather and synthetic leather only; do not use on other materials.
- Aging or damaged leather may not fully recover from stains.
- Apply a leather conditioner or protective agent after cleaning.

7. Summary of Product Properties

- Neutral leather cleaner designed specifically for leather materials
- Efficient contaminant removal using sponge-assisted cleaning
- Maintains leather softness and natural appearance

8. Remarks



- Always follow cleaning with a leather conditioner or protective wax.
- Avoid storing inside hot vehicles.
- Multiple applications may be required for heavy contamination.
- Perform a spot test before full application.

Issued by:

NYS Inc.

4-3-12-508 Tsukiji, Chuo-ku, Tokyo 104-0045, Japan

TEL: +81-70-9002-4439

Email: info@nys-chemicals.jp

The information contained in this Technical Data Sheet is based on current technical knowledge at the time of publication.

Specifications and details are subject to change without prior notice.