



# Technical Data Sheet (TDS)

Issued by:

NYS Inc.

4-3-12-508 Tsukiji, Chuo-ku, Tokyo 104-0045, Japan

TEL: +81-70-9002-4439

Email: [info@nys-chemicals.jp](mailto:info@nys-chemicals.jp)

## OEM WATER-BASED TIRE WAX

### Product Lineup

- OEM Water-Based Tire Wax 400ml
- OEM Water-Based Tire Wax 4L
- OEM Water-Based Tire Wax 18L

### 1. Product Concept

This water-based tire wax is designed to enhance the tire's natural texture while providing a subtle, refined shine.

It minimizes stickiness, spreads smoothly, and achieves an even finish with a small amount, offering excellent cost performance.

Ideal for users who prefer a clean, understated appearance rather than a glossy finish.

### 2. Composition & Key Features

- Type: Water-based tire wax



- Form: Liquid
- Recommended Usage Amount: Approx. 40 ml per vehicle
- Applicable Materials: Rubber tires for cars and motorcycles
- Finish: Natural gloss with a subtle, refined texture

#### Key Features

- Natural, non-flashy gloss
- Low stickiness and excellent spreadability
- High cost performance due to low required usage
- Easy to apply for both professionals and general users

### 3. Performance & Characteristics

The water-based formula provides a natural, subdued shine that preserves the tire's original texture.

It spreads smoothly and evenly, reducing streaks and unevenness.

Once dried, it remains low-sticky, helping minimize dust adhesion and maintaining a clean appearance.

### 4. Recommended Application Areas

- Car tire outer surfaces
- Motorcycle tire outer surfaces
- Rubber sidewalls
- Rubber surface components on tires

### 5. Application Method

1. Rinse off dust, sand, and mud using a strong stream of water.
2. Wipe dry and ensure the tire surface is completely dry.
3. Apply the product directly to the tire or onto a sponge, then spread evenly.



4. Check for excess product and wipe off any surplus if necessary.

## 6. Precautions During Application

- Apply only to dry tires.
- Do not use on hot tires immediately after driving.
- Avoid contact with brake components.
- Close the cap tightly after use and store away from direct sunlight.

## 7. Summary of Product Properties

- Product Type: Water-based tire wax
- Recommended Usage: Approx. 40 ml per vehicle
- Natural gloss with low stickiness
- Suitable for daily maintenance and professional use
- Country of Origin: Japan

## 8. Remarks

- Effectiveness may vary on severely deteriorated tires.
- Shake well before use.
- Avoid mixing with other products.

Issued by:

NYS Inc.

4-3-12-508 Tsukiji, Chuo-ku, Tokyo 104-0045, Japan

TEL: +81-70-9002-4439

Email: [info@nys-chemicals.jp](mailto:info@nys-chemicals.jp)



The information contained in this Technical Data Sheet is based on current technical knowledge at the time of publication.

Specifications and details are subject to change without prior notice.